



2025 Crosswalk Survey Project: Summary of Findings and Recommendations

During the summer of 2025 Newburyport Livable Streets (NLS) conducted a survey of all Newburyport crosswalks listed in the revised City inventory prepared by then director Wayne Amaral. A subcommittee of five Newburyport residents and NLS members participated in the Survey. We offer this feedback to the City in hopes of enhancing the safety of walking and biking for City residents and visitors, and the visibility of crosswalks to drivers.

We understand that the City inventory is a working document covering the requirements for the City to maintain crosswalks and the painting requirements on the roads. However, our survey focused on crosswalks and assessed three main areas:

- Daytime and nighttime visibility of crosswalk (e.g., paint condition, location, and lighting)
- Type of crosswalk (ladder, continental, or parallel lines)
- ADA compliance (e.g. curb cuts, ramps, tactile pads and conditions of access).

While conducting the survey on foot, bike and by car, we noted improvements across the City as a result of the ongoing paving and sidewalk work. The great majority of crosswalks were in good condition with recent painting maintenance done; however, we noted a few where the paint was in poor condition, and several on the list were stop lines only which was not noted on the City inventory.

In our review we made notes for further updating the City inventory to make it more accurate or clear. This includes designating entries that refer to a stop line only or where the crosswalk does not exist, as well as noting crosswalks or ramps in need of repair and/or painting. We recognize that some of these recommendations may be superseded due to more recent road work.

As well as reviewing the existing crosswalks in the inventory, we also identified busy intersections where a crosswalk was needed but did not exist, sometimes due to lack of a connecting sidewalk. Understanding that the current work to improve the crosswalks and sidewalks throughout the City may have already identified similar gaps, we offer the attached recommendations for the City and DPS to consider.

In addition to the project surveying all crosswalks in Newburyport, NLS has conducted several walk audits and bike audits focusing on specific streets in various parts of the City, and these audits have resulted in recommendations for additional or improved crosswalks or sidewalks in those locations. These recommendations supplement the findings and recommendations of the 2025 Survey.

Attached are two tables presenting our findings and recommendations:

- “Key Recommendations” lists the most important measures that were identified in the 2025 Crosswalks Survey and separately in walk audits and bike audits.
- “2025 Crosswalk Survey” documents the NLS team’s review of the DPS inventory.

Finally, note that this report does not address crosswalks that are not under City of Newburyport jurisdiction, in particular those on Storey Avenue (Route 113). In May 2025 NLS members, neighborhood residents, and City and State representatives participated in a walk audit along Storey Avenue west of Interstate 95. Participants identified a number of issues relating to crossing Storey Avenue and intersecting streets. We will continue to advocate for pedestrian and bicycling safety improvements along this stretch of road, which divides West End neighborhoods and impedes access to recreational facilities.

Key Recommendations

Ward	Inventory #	Location	Recommendations	Notes
1	101	Ocean Ave at Water St	New crosswalk across Ocean Ave. Extend the existing sidewalk on the south side of Water Street from Shandel Dr to Ocean Ave. Add a landing pad on Ocean Ave, at the east end of the crosswalk.	In the future, a sidewalk should be constructed on the east side of Ocean Ave/Rolfe's Lane between Water St and Newbury Village.
2	52	High St at Coffin Ct and Parsons St	Add a crosswalk on one side of the intersection.	This is an access point for kids using the bike track at March's Hill.
3	218	Merrimac St at Kent St	Upgrade existing crosswalk across Merrimac St to a raised crosswalk. Implement traffic calming modifications including narrowing the intersection.	<i>Detailed recommendations in Merrimac Street Walk Audit report.</i>
3	218	Kent St at Merrimac St	New crosswalk across Kent St leg of intersection. Implement traffic calming measures including narrowing the intersection to slow traffic and reduce crossing distances.	<i>Detailed recommendations in Merrimac Street Walk Audit report.</i>
3	716	Washington St Ext at Kent St		Existing crosswalk is in City ROW but "Washington St Ext" is a private driveway. Should this be removed from the inventory?

Ward	Inventory #	Location	Recommendations	Notes
3	n/a	Low St between Johnson St and Graf Rd	New crosswalk(s) across Low St at Bradley Fuller Field and/or Graf Rd.	The closest crosswalks to the Fuller Field driveway are 400 feet to the west and 1,490 feet to the east. A crosswalk at Graf Rd would support an improved connection to the Clipper City Rail Trail for bicyclists approaching from the west and south. A crosswalk at Graf Rd would also serve youth-oriented uses on Graf Rd, including Bright Horizons and Tinkerhaus, although pedestrian accommodations along Graf are needed. <i>Recommended in 2025 Low Street Bike Audit.</i>
4/5/6	306	Three Roads intersection (High St / Ferry Rd / Moseley Ave)	Reconstruct intersection to reduce conflicts; incorporate new crosswalks with refuge islands to provide safe crossings for pedestrians and cyclists.	This is a high-priority intersection for pedestrian/bicycle safety improvements. <i>Identified in the City's 2019 Complete Streets Prioritization Plan and NLS's 2023 Bicycle and Pedestrian Network Plan.</i> <i>Intersection alternatives analysis and preliminary concept design prepared by Merrimack Valley Planning Commission in 2022.</i>

Ward	Inventory #	Location	Recommendations	Notes
4	14	High St at Woodland St and Rawson Ave	New crosswalk across High St .	Rawson Ave is a primary driving and walking route to Anna Jaques Hospital. In 2023 DPS identified upgrading the existing sidewalk on Rawson Ave and extending it to Highland Ave as a “priority sidewalk and safety project.” This still makes sense along with upgrading the intersection of High St/Woodland St/Rawson Ave.
5	422	Low St at Port Plaza westerly entrance	Add curb cut and landing pad on east (Port Plaza) side. Identify measures to make the crosswalk end on the west side of the street safer.	There is no sidewalk on the westerly side of Low Street between the Children’s Health Care driveway and Hodgie’s. The existing sidewalk terminates at a paved area that is undifferentiated from the street. <i>Identified in 2023 Low St Walk Audit and 2025 Low St Bike Audit.</i>
5	n/a	Low St between Port Plaza and Murphy Ave	New crosswalk across Low St.	Recommended in 2025 Low Street Bike Audit. Distance between Port Plaza entrance (with proposed new crosswalk) and Murphy Ave is 1,900 feet, which is too far on a road as busy as Low St.
5	421	Williamson Ave at Low St	Realign crosswalk to be parallel to Low St.	<i>Identified in 2025 Low St Bike Audit.</i>

Ward	Inventory #	Location	Recommendations	Notes
5	417	Low St at Murphy Ave	Repaint crosswalk across Low St so that it lines up with the curb cut at Murphy Ave. Install a concrete pad on south side where there is no sidewalk.	This is an important route to school. Existing crosswalk ends on grass on south side of Low St, and at a curb on the north side. <i>Identified in 2025 Low St Bike Audit.</i>
5	412.2	Low St in front of Kinder Care	Upgrade both ends of the existing crosswalk across Low St: - add a curb cut and concrete landing on south side of Low St; - add a curb cut and ramp on north side.	Crosswalk currently ends at grass on the south side and at a curb on the north side. <i>Identified in 2025 Low St Bike Audit.</i>
6	307	Moulton St at Ferry Rd	New crosswalk across Moulton St.	North side of Ferry Rd has sidewalks with ramps on both sides of Moulton St, but no crosswalk. <i>Identified in 2025 Ferry Rd Walk Audit.</i>

Ward	Inventory #	Location	Recommendations	Notes
6	307	Ferry Rd at Moulton St	New crosswalk across Ferry Rd.	This is a very active intersection for vehicles and pedestrians: - Moulton St is a cut-through from Merrimac St and Moseley Ave to Ferry Rd and High St/ Storey Ave. - Ferry Rd is a primary walking route to Atkinson Common and to school. The intersection is also about ½ block from where the school buses stop. <i>Identified in 2025 Ferry Rd Walk Audit.</i>
6	308	Noble St at Ferry Rd	New crosswalk across Noble St	Despite the recent improvements to Noble St there is no crosswalk. This is a serious gap given how busy the street is with both cars and walkers going to/from Storey Ave. Note: If a sidewalk is not constructed on the east side of Noble St, a concrete pad will be required. <i>Identified in 2025 Ferry Rd Walk Audit.</i>
6	n/a	Spofford St at Chain Bridge Dr	New crosswalk across Spofford St.	The sidewalk on the west side of busy Spofford St is important for pedestrians. A crosswalk is needed to provide access to the sidewalk from neighborhoods on the east side as well as from Moseley Ave.

Ward	Inventory #	Location	Recommendations	Notes
6	n/a	Ferry Rd – south side, between Boyd Dr and Lawton Dr	Construct sidewalks on the south side of Ferry Rd between Boyd Dr and Hart Rd (200 ft ±) and between Noble St and Lawton Dr (700 ft ±).	Currently there are sidewalks between Hart Rd and Noble St and between Lawton Dr and Storey Ave. Adding these two segments will provide a continuous walking route on the south side of the street. <i>Identified in 2025 Ferry Rd Walk Audit.</i>
6	309	Ferry Rd – north side, between Harding Ave and Boyd Dr / Spofford St		This section is hazardous for pedestrians due to the lack of sidewalks and crosswalks, and poor visibility at the curve and intersection. <i>Identified in 2025 Ferry Rd Walk Audit.</i>

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
1	4	Eddie	High St	3 Roads traffic Signal	E	Ladder	Curb	Y	
2	4	Eddie	High St	Plummer Ave	W	Bar	level tactile pad N – level :	Y	Note limited parking added for visibility
2	4	Eddie	Plummer Ave	High St	N	Bar	Level	Y	Tactile Pads on both sides
2	4	Eddie	Cutting Dr	High St	S	Ladder	level tactile pad	Y	tactile Pad on East side, West is Level
3	4	Eddie	Upland St	High St	N	Bar	Level	Y	Tactile Pads on both sides
4	5	Chris	High St	Myrtle Ave	W	Bar	tactile pad	Y	This is the Olive's Bakery Crosswalk (There is a small unpainted asphalt repair patch)
4	5	Chris	Myrtle Ave	High St	S	Bar	tactile pad	Y	Temp No Paint
5	5	Chris	Highlawn Terr	High St	S	Bar	tactile pad	Y	
6	4	Eddie	Jefferson St	High St	N	Ladder	tactile pad E/Level W	Y	
7	5	Chris	High St	Bresnahan/Senior Center Dri	S	Bar	Level	Y	RRFB (for Senior Ctr and Bres peds). Note limited parking added for visibility
7	5	Chris	Bresnahan/Senior Center Driveway	High St	E	Bar	Level	Y	
7.1	5	Chris	Twomey Dr	High St	S	Bar	tactile pad	Y	
8	5	Chris	Brooks Ct	High St	S	Bar	Level	Y	
9	4	Eddie	Ashland St	High St	N	Ladder	Level	Y	
9	4	Eddie/Chris	High St	Ashland St	E	Bar	Level	Y	This is also for Natural Grocer and has an freestanding upright Yeild/Caution stancheon on the yellow line. Note limited parking added for visibility
10	5	Chris	High St	No Atkinson St	S				No crosswalk here
10	5	Chris	No Atkinson St	High St	S	Ladder	Level	Y	
11	4	Eddie	Forrester St	High St	N	Ladder	Level	Y	
12.1	4	Eddie	High St	Willow Ave	W	Bar	Ramp	Y	Grass on E side
12.2	4	Eddie	Willow Ave	High St	N	Bar	Level	Y	Tactile Pads on both sides
12.3	4	Eddie	Columbus Ave	High St	S	Bar	Level	Y	Tactile Pad on N side
12.4	4	Eddie	Tracy St	Columbus Ave	W	Bar	Level	Y	Tactile Pads on both sides
12.5	4	Eddie	Columbus Ave	Farrel St	N	Bar	Level	Y	Tactile Pads on both sides
12.6	4	Eddie	Farrel St	Columbus Ave	E	Bar	Level	Y	Tactile Pads on both sides
13	4	Eddie	Chapel St	High St	N	Bar	Level/Ramp	Y	
13	4	Eddie	High St	Chapel St	E	Bar	Ramp	Y	Note limited parking added for visibility
14	4	Eddie	High St	Woodland St	E			Y	Discontinued
14	4	Eddie	Woodland St	High St	N	Ladder	Level/Ramp	Y	
14	4	Eddie	Rawson Ave	High St	S	Bar	Level/Ramp	Y	
15	4	Eddie	High St	The Rawson House	M	Bar	Ramp	Y	
16	4	Eddie	Lafayette St	High St	S	Ladder	Ramp	Y	
17	4	Eddie	Arlington St	High St	S	Ladder	Level/Ramp	Y	Tactile Pads on both sides
18	4	Eddie	High St	Oakland St	W	Bar	Ramp	Y	Note limited parking added for visibility
19	4	Eddie	Oakland St	High St	N	Ladder	Ramp	Y	
20	4	Eddie	Tyng St	High St	N	Ladder	Ramp	N	
21	4	Eddie	High St	Toppans Lane	W	Bar	Level	Flashing Light	Tactile Pads on both sides; crosswalk faded
21	4	Eddie	Toppans Lane	High St	S	Bar	Level	Y	Tactile Pads on both sides; crosswalk faded
22	3	Alden	Broad St	High St	N	bars	tactile pad	yes	
22	3	Alden	High St	Broad St	E				Discontinued
23	3	Alden	Carter St	High St	N	bars	tactile pad	yes	

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
23	3	Alden	High St	Carter St	E	bars	tactile pad	yes	
24	3	Alden	High School Driveway	High St	S				Discontinued
24	3	Alden	High School Driveway	High St Exit Only driveway	S				Discontinued
25	3	Alden	High School Parking Lot						Didn't find this entry
25	3	Alden	High School Parking Lot	east entrance to turn around		diagonal ladder level		?	
25	3	Alden	High School Parking Lot	at front door to school		diagonal ladder level		?	
25	3	Alden	High School Parking Lot	between HP spaces		diagonal ladder level		?	
26	3	Alden	Summit Pl	High St	S	bars	tactile pad	no	
27	3	Alden	Kent St	High St	N	bars	tactile pad	yes	
27	3	Alden	High St	Kent St	E	bars	tactile pad	yes	Should this be W?
28	3	Alden	High St	Johnson St	W	bars	tactile pad	yes	
28	3	Alden	Johnson St	High St	S	revisit	tactile pad	yes	
29	3	Alden	Buck St	High St	N	bars	tactile pad	yes	
30	3	Alden	Dexter Ln	High St	S	bars	tactile pad	yes	
30	3	Alden	Olive St	High St	N	bars	level	yes	
31	3	Alden	Boardman St	High St	N	bars	tactile pad	no	
31	3	Alden	High St	Boardman St	E	bars	tactile pad	yes	Note limited parking added for visibilty
32	3	Alden	Carey Ave	High St	S	ladder	level	yes	
33	3	Alden	High St	Winter St	N (E?)	bars	level	yes	Note limited parking added for visibilty
33	3	Alden	Winter St	High St	E (N?)	ladder	level	yes	Note limited parking added for visibilty
34	3	Alden	Summer St	High St	N	ladder	level	yes	
34	3	Alden	Vernon Ct	High St	S	ladder	level	yes	
35	3	Alden	High St	Market St	E	ladder	tactile pad/none	no	Note limited parking added for visibilty
35	3	Alden	Market St	High St	N	ladder	level	no	
36	2	Alden	Auburn St	High St	S	ladder	tactile pad	yes	
37	2	Alden	Auburn St	80' S of High St	M	ladder	level	no	
38	2	Alden	Court St	High St	N	ladder	level	yes	
39	2	Alden	High St	Green St	W				Stop line and arrows only
39	2	Alden	High St	Green St	E	ladder	level tactile pad	yes	
39	2	Alden	Green St	High St	N	bars	tactile pad	yes	
40	2	Alden	High St	Park St	W	bars	level	yes	
40	2	Alden	Park St	High St	N	bars	level	yes	
41	2	Alden	Park St	Harris St	S				
42	2	Alden	Pond St	High St	S	stripes	level	no	
43	2	Alden	Eppa Way	Pond St	N				Stop line only
44	2	Alden	Eppa Way	High St	S	bars	Ramp	yes	
44	2	Alden	Pond St	Front of CVS parking lot		parallel lines	level/no	yes	Note limited parking added for visibilty
45	2	Alden	High St	State St	E	ladder		yes	
45	2	Alden	High St	State St	W	ladder	tactile pad	yes	
45	2	Alden	State St	High St	N	ladder	tactile pad	yes	
45	2	Alden	State St	High St	S	ladder	level	yes	
46	2	Alden	Fruit St	High St	N	bars	level	yes	
47	2	Alden	Wills Lane	High St	S	ladder	level	yes	
48	2	Alden	Tremont St	High St	N	ladder	level	yes	
49	2	Alden	High St	Federal St	N	ladder	level	yes	
49	2	Alden	Federal St	High St	W	ladder	level	yes	
50	2	Alden	High St	Lime St	E	?	?	?	Note limited parking added for visibilty
50	2	Alden	Lime St	High St	N	ladder	?	?	Revisit – due to paving
51	2	Alden	Parsons St	High St	N	ladder	level	yes	
52	2	Alden	Coffins Ct	High St	S	ladder	level	yes	

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
53	2	Alden	Allens St	High St	N	ladder	level	yes	
54	2	Alden	Bromfield St	High St	N	ladder	level	yes	
54	2	Alden	High St	Bromfield St	W	Ladder	S-level/N-ramp	pedestrian traf	Note limited parking added for visibilty
55	1	Alden	Barton St	High St	N	bars	tactile pad	yes	
55.1	1	Alden	Barton St	Chestnut St	S	bars	tactile pad	yes	
56	1	Alden	Marlboro St	High St	N	ladder	level	yes	
100	1	Alden	Plum Island Turnpike	at Joppa Education Center	M	Ladder	Tactile pad S/level N	no	
101	1	Alden	Ocean Ave	Water St	S	none			Stop line only
102	1	Alden	Shandel Dr	Water St	S	none			Stop line only
103	1	Alden	Union St	Water St	W	none			Stop line only
104	1	Alden	Water St	Goodwins Ave	W	bars	tactile pad	no	Discontinued
105	1	Alden	Marlboro St	Water St	S	bars	tactile pad	yes	
105	1	Alden	Water St	Madison St	E	bars	tactile pad	yes	
106	1	Alden	Union St	Marlboro St	E	bars	tactile pad	yes	
107	1	Alden	Madison St	Water St	S	bars	tactile pad	yes	
108	1	Alden	Water St	Neptune St	E	bars	tactile pad	yes	
108	1	Alden	Neptune St	Water St	S	bars	tactile pad	yes	
109	1	Alden	Water St	Harrison St	E	bars	tactile pad	yes	
109	1	Alden	Harrison St	Water St	S	bars	tactile pad	yes	
110	1	Alden	Water St	At #172 Water St (at rail trail	M	bars	tactile pad	yes	Increase size
111	1	Alden	Water St	Bromfield St	E	bars	tactile pad	yes	
111	1	Alden	Bromfield St	Water St	S	ladder	tactile pad	yes	
112	1	Alden	Franklin St	Water St	S	ladder	tactile pad	yes	
113	1	Alden	Salem St	Water St	S	ladder	tactile pad	no	
113	1	Alden	Water St	Salem St	W	bars	tactile pad	yes	
114	1	Alden	Charles St	Water St	S	ladder	tactile pad	yes	
114	1	Alden	Water St	Charles St	E	ladder	tactile pad	yes	
115	1	Alden	Water St	Lime St	W	ladder	tactile pad	yes	
115	1	Alden	Water St	Lime St	E	ladder	tactile pad	yes	
115	1	Alden	Lime St	Water St	S		tactile pad	yes	Revisit – due to paving
115.1	1	Alden	Waste Water Treatment plant	#115 Water St	E	ladder	tactile pad	no	
115.2	1	Alden	Waste Water Treatment plant	#115 Water St	driveway	ladder	tactile pad	no	
116	2	Alden	Water St	Federal St	E	bars	tactile pad	no	
116	2	Alden	Federal St	Water St	S	bars	tactile pad	no	
117	2	Alden	Water St	Independent St	S (E?)	ladder	level	no	
118	2	Alden	Fair St	Water St	S	bars	level	no	
118	2	Alden	Water St	Fair St	E	ladder	level	no	Note limited parking added for visibilty
200	2	Alden	State St	Merrimac St	N				2 Yield texts
200	2	Alden	Merrimac St	State St/Ferry Wharf	E	ladder	Ramp	yes	
200	2	Alden	Merrimac St	State St	W				Stop line only
201	2	Alden	State St	Merrimac St- High St					What does this refer to ? Side lines ?
202	2	Alden	Merrimac St	Fire Station Theatre	M	ladder	Ramp	yes	
203	2	Alden	Merrimac St	Visitors booth	M	ladder	Ramp	yes	
204	2	Alden	Green St parking lot						revisit to see what this refers to
205	2	Alden	Green St parking lot entrance	Merrimac St	N	ladder	level	yes	
206	2	Alden	Green St	Merrimac St	S	ladder	tactile pad	yes	
206	2	Alden	WFT Parking Lot entrance	Merrimac St	N	ladder	tactile pad	yes	
206	2	Alden	Merrimac St	Green St	W				Stop line only
206	2	Alden	Merrimac St	Green St	E	ladder	tactile pad	yes	

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
207	2	Alden	NRA Lot East Parking lot						None
208	2	Alden	NRA/WFT lot West Parking lot		S	Ladder	tactile pad	yes	at entrance from Merrimac St
209	2	Alden	Merrimac St	#42-44					I think this references no parking lines
210	2	Alden	Titcomb St	Merrimac St	S	Ladder	tactile pad	yes	
210	2	Alden	Merrimac St	Titcomb St	W	Ladder	tactile pad	yes	
211	3	Alden	Market St	Merrimac St	S	ladder	level tactile pad	no	
212	3	Alden	Merrimac St	Summer St	E	ladder	tactile pad	yes	
212	3	Alden	Summer St	Merrimac St	N	ladder	tactile pad	yes	
212	3	Alden	Summer St	Merrimac St	S	ladder	tactile pad	yes	
212.1	3	Alden	Merrimac St	Winter St	W	ladder	tactile pad	yes	
212.1	3	Alden	Winter St	Merrimac St	N	ladder	tactile pad	yes	
212.1	3	Alden	Winter St	Merrimac St	S	ladder	tactile pad	yes	
213	3	Alden	Merrimac St	At #129 Merrimac St	M	ladder	level	no	Note limited parking added for visibility
214	3	Alden	Merrimac St	Broadman St	E	bars	tactile pad	yes	
214	3	Alden	Merrimac St	Broadman St	W	ladder	none	no	
214	3	Alden	Broadman St	Merrimac St	S	bars	tactile pad	yes	
215	3	Alden	Merrimac St	Olive St	S (W?)	ladder	none	yes	Note limited parking added for visibility
215.1	3	Alden	Dove St	Merrimac St	S	bars	tactile pad	no	
216	3	Alden	Merrill St	Merrimac St	S	ladder	tactile pad	yes	
217	3	Alden	Merrimac St	Caldwells Court	E	bars	none	yes	
217.1	3	Alden	Cashman Park	at Main boat ramp, near shac	(N?)	ladder	level	yes	
217.2	3	Alden	Cashman Park	at Main boat ramp, near shac	W				didn't find anything – maybe refers to stop line
217.3	3	Alden	Cashman Park	Parking lot					4" parking stalls
218	3	Alden	Kent St	Merrimac St	S				Stop line only
218	3	Alden	Merrimac St	Kent St	W	ladder	level/none	yes	Note limited parking added for visibility
219	3	Alden	Merrimac St	Warren St	W	ladder	none	yes	
220	3	Alden	Merrimac St	Broad St	S (E?)	bars	Ramp	yes	
220	3	Alden	Broad St	Merrimac St	E (S?)	bars	none/ramp	yes	
221	4	Eddie	Merrimac St	Tyng St	E	Bar	Ramp		inner but at the Tactile Pad on W side
221	4	Eddie	Tyng St	Merrimac St	S	Bar	Ramp		inner but at the Tactile Pads on both sides
222	4	Eddie	Oakland St	Merrimac St	S	Bar	Ramp	Y	Tactile Pads on both sides
222	4	Eddie	Merrimac St	Oakland St	W	Bar	Ramp	Y	Tactile Pads on both sides
222.1	4	Eddie	California St	Merrimac St	S	Bar	Ramp	Y	Tactile Pads on both sides
223	4	Eddie	Woodland St	Merrimac St	S	Bar	Ramp	Y	Tactile Pads on both sides
223.1	4	Eddie	Woodland St	Merrimac St	N	Bar	Ramp	Y	Tactile Pads on both sides
223.2	4	Eddie	Merrimac St	Woodland St	E	Bar	Ramp/tactile pads	Y	Note limited parking added for visibility
223.3	4	Eddie	Savory St	Merrimac St	N	Bar	Level/Ramp	Y	Tactile Pads on both sides
234	4	Eddie	Merrimac St	Butler St	E	Bar	Ramp/tactile pads	Y	Note limited parking added for visibility
234.1	4	Eddie	Butler St	Merrimac St	S	Bar	Ramp	Y	Tactile Pads on both sides
234.2	4	Eddie	Merrimac St	Union Pl	W	Bar	Ramp	Y	Tactile Pads on both sides
234.3	4	Eddie	Union Pl	Merrimac St	N	Bar	Ramp	Y	Tactile Pads on both sides
234.4	4	Eddie	Forrester St	Merrimac St	S	Bar	Ramp	Y	Tactile Pads on both sides
235	4	Eddie	Ashland St	Merrimac St	S	Bar	Ramp	Y	Tactile Pads on both sides
235.1	4	Eddie	Merrimac St	Ashland St	E	Bar	Ramp	Y	Tactile Pads on both sides
236	4	Eddie	Merrimac St	Mersen building West	M	Bar	Level	Flashing Light	Tactile Pad on E side (ramp)
236	4	Eddie	Merrimac St	Mersen building West	M	Bar	Level	Y	Tactile Pad on E side (ramp)
237	4	Eddie	Jefferson St	Merrimac St	N	Bar	Level	Y	Tactile Pads on both sides

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
237	4	Eddie	Jefferson St	Merrimac St	S	Ladder	Ramp	Y	Tactile Pads on both sides
237	4	Eddie	Merrimac St	Jefferson St	W	Bar	Ramp	Y	Tactile Pads on both sides
238	4	Eddie	Plummer Ave	Merrimac St	S	Bar	Level	Y	Tactile Pads on both sides
238.1	4	Eddie	Plummer Ave	60's of Merrimac St	M	Bar	Ramp	N	Small curb on E side (not sure if I located the right crosswalk)
238.2	4	Eddie	Merrimac St	Plummer Ave		Bar	Level	Y	Tactile Pads on both sides
238.3	4	Eddie	Plummer Ave	see plan		Ladder	Level		Tactile Pads on both sides (crosswalk by park entrance)
239	4	Eddie	Merrimac St	Pioneer Field East					refers to street parking stalls
240.1	4	Eddie	Merrimac St	Pioneer Field East	M	Bar	Level	Y	Tactile Pad on E side; dirt on W
240.2	4	Eddie	Merrimac St	Pioneer Field at field house	M	Bar	Level	Y	Tactile Pad on E side
240.3	4	Eddie	Merrimac St	Christie Dr	W	Bar	Ramp	Y	Tactile Pads on both sides
240.4	4	Eddie	Bayne Lane (P.W.)	Merrimac St	N	Bar	Level	Y	Tactile Pad on S side
241	4	Eddie	Merrimac St	Doner St	W	Bar	Level	Y (50' away)	Not sure if there are pads; need to check again
300	6	Liz	Moseley Woods entrance	Rotary	W				
300	6	Liz	Spofford St	Rotary	S				
300	6	Liz	Moseley Ave	Rotary	S				
300	6	Liz	Merrimac St	Rotary	E				
300	6	Liz	Spofford St	Rotary	N				on bridge section side of rotary
301	6	Liz	Spofford St	at bridge entrance	M				
301A	6	Liz	Harnch's Way	Storey Ave	N	Bar	level tactile pad	Y but behind	Very busy Cut through
301A	6	Liz	Harnch's Way	Ferry Rd	N	Bar	level tactile pad	Y but behind	Very busy Cut through
302	6	Liz	Harding St	Moseley Ave					Discontinued
303	6	Liz	Moulton St	Moseley Ave	N	Ladder	level tactile pad - crumbler	Y	Fair/cracked
303	6	Liz	Moulton St	Moseley Ave	S				Stop line only
304	6	Liz	Cushing Ave	Moulton St	E	none	level tactile pad		Stop line only
304	6	Liz	Cushing Ave	Moulton St	W	none	Level	N	Stop line only
305	6	Liz	Moseley Ave	Storey Ave	W	Ladder	Level	N	Dangerous set back – not visible to cars going straight
306	6	Liz	Ferry Rd	Storey Ave/High St	W	parallel lines	tactile pad	Y	
307	6	Liz	Moulton St	Ferry Rd	N	none	tactile pad	?	Stop line only
308	6	Liz	Noble St	Ferry Rd	S	none	tactile pad – 1 side	?	No lines – stop line only ?
309	6	Liz	Ferry Rd	Spofford St	W	Bar	level tactile pad		
309	6	Liz	Spofford St	Ferry Rd	N				Stop line only
309	6	Liz	Spofford St	left turn pocket	W				Stop line only
309	6	Liz	Ferry Rd	right turn pocket	E	Bar	level tactile pad		
310	6	Liz	Briggs Ave	Ferry Rd	S	Bar	tactile pad	Y	
310	6	Liz	Ferry Rd	Briggs Ave	W	Bar	level tactile pad	Y	There is a crossing sign here – for getting into back side of Moseley Woods
311	6	Liz	Azelea Rd	Ferry Rd	S	Bar	tactile pad	Y	
311	6	Liz	Azelea Rd	Ferry Rd	W	Bar	Level	Y	Paint – fair
311.1	6	Liz	Laurel Rd	Ferry Rd	S	Bar	tactile pad	Y	Connects on one side
311.2	6	Liz	Ferry Rd	Laurel Rd	E	parallel lines	tactile pad	N	Connects to entry Whitier bridge bike overpass
312	6	Liz	Harding St	Ferry Rd					Discontinued
400	3	Alden	Route 1	Hill St	B	ladder	tactile pad	yes	State -
400	3	Alden	Hill St	Parker St - used for Route 1	W	parallel lines	tactile pad	yes	

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
400.1	3	Alden	Parker St	Route 1	S				Not sure what this denotes
401	3	Alden	Route 1	Low St	E (S?)				State – Stop line only
401	3	Alden	Route 1	Low St	W (N?)	ladder	tactile pad	no	State -
401	3	Alden	Low St	Route 1	S (W?)	ladder	tactile pad	no	
401	3	Alden	Pond St	Route 1	N (E?)	ladder	tactile pad	no	
402	3	Alden	Graf Skating Rink	Low St	N	ladder	level	yes	
403	3	Alden	Heritage House	Low St	N	ladder	Ramp	no	
404	3	Alden	Low St	Graf Rd	W				Stop line only
404	3	Alden	Low St	Graf Rd	E				Stop line only
404	3	Alden	Graf Rd	Low St	S				Stop line only
401.1	3	Alden	Fuller Field entrance	Low St	N	bars	tactile pad	no	
401.2	3	Alden	Fuller Field	Parking lot	M	bars	tactile pad	no	
405	3	Alden	Perry Way	Low St	S				Stop line only
407	3	Alden	Low St	Johnson St	W	ladder	tactile pad	yes	
407	3	Alden	Johnson St	Low St	N		tactile pad	yes	Revisit – due to paving
408	3	Alden	Nock Middle School Parking ot entr	Low St	N	ladder	tactile pad	yes	
408	3	Alden	Nock Middle School main Parking k	Low St		ladder	tactile pad	yes	
408.1	3	Alden	Nock School	Loading dock					Didn't find this entry
408.2	3	Alden	Low St	Nock School drop off (east)	N	ladder	tactile pad	yes	
409	3	Alden	Nock Middle School front door exit	Low St	N	ladder	tactile pad	yes	
409.1	3	Alden	Nock School	at Low St entrance turnaround area					refers to parking stalls
409.2	3	Alden	Low St	Nock School drop off (west)	N	ladder	tactile pad	yes	
410	3	Alden	Low St	Toppans Lane	E				Stop line only
410	3	Alden	Low St	Toppans Lane	W	ladder	tactile pad	yes	
410	3	Alden	Toppans Ln	Low St	N	ladder	tactile pad	yes	
410	3	Alden	Hale St	Low St	S				Stop line only
411	4	Eddie	Zabriske Dr	Low St	N	Ladder	Ramp	N	
412	5	Chris	Low St	Coltin St	E	Ladder	level tactile pad	Y	No tactile pad on North side
412.1	5	Chris	Coltin St	Low St	S				Stop line only
412.2	5	Chris	Low St	Front of Kinder Care	M	Ladder	none	Y	No sidewalk on south side
413	4	Eddie/Chris	Wallace Brashaw Way	Low St	N	Bar	Level	Y	Tactile Pad on sidewalk (S side) No Tactile pad on West side
414	4	Eddie/Chris	Hunter Dr	Low St	N	Ladder	Ramp Level	Y	Narrow curb cut west side
415	5	Chris	Court Farm Lane	Low St	N	Ladder	Level	Y	Court Lane sidewalk does not line up - has asphalt curb and storm drain.
415.1	5	Chris	Court Farm Lane	Low St	S				This crosswalk does not seem to exist
416.1	5	Chris	No Atkinson St	Low St	N	Ladder	Level	Y	
416.2	5	Chris	Low St	No Atkinson St	E	Bar	tactile pad	Y and RRFB	
416.3	5	Chris	Colby Farm Lane	Doyle Dr	M	Bar	tactile pad	but flashing sign	
416.4	5	Chris	Doyle Dr	Colby Farm Lane	E	Bar	tactile pad	N	
417	5	Chris	Murphy Ave	Low St	N	Bar	Level	Y	
417	5	Chris	Low St	Murphy Ave	W	Bar	none	Y	Curb cut from Murphy does not line up for crossing Low St
417.1	5	Chris	Murphy Ave	Norman Ave	N	parallel lines	tactile pad	Y	
417.2	5	Chris	Norman Ave	Murphy Ave	E	parallel lines	tactile pad	Y	
418	5	Chris	Avon St	Low St	N	Ladder	Level	N	
419	5	Chris	Brisette Ave	Low St	N	Ladder	Level	N	
420	5	Chris	Stickney Ave	Low St	N	Ladder	Level	Y	Curb cut does not line up well to crosswalk

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
421	5	Chris	Williamson Ave	Low St	N	Ladder	Level	Y	crosswalk crosses at an angle – not parallel to Low St
422	5	Chris	Low St	At shopping center driveway	W	Ladder	none	Y	No sidewalk south side
423	5	Chris	Low St	Across from #232 & in front of	M	Ladder	tactile pad	Y and RRFB	
424	5	Chris	Low St	Storey Ave	S	parallel lines	tactile pad	button/walk sign	State -
424	5	Chris	Storey Ave	Low St	E	parallel lines	tactile pad	button/walk sign	State -
424	5	Chris	Storey Ave	Low St	W				State – Stop line only
424	5	Chris	Woodman Way	Storey Ave	N	parallel lines	tactile pad	button/walk sign	State -
425	6	Chris	Noble St	Storey Ave	S	Bar	Level	N	State – faded almost not there
425	6	Chris	Storey Ave	Noble St	W				State - Stencils only – we have stop line only
426	5	Chris	Storey Ave	Port Plaza west entrance	W	parallel lines	Level	Y	State -
427	5	Chris	Storey Ave	Port Plaza west entrance	E				State – Stop line only
428	5	Chris	Storey Ave	Market Basket entrance / ex	W				State – Stop line only
429	5	Chris	Storey Ave	Market Basket entrance / ex	E	parallel lines	Level	Y	State -
430	5	Chris	Storey Ave	NBPT Housing Authority road	E	Ladder	tactile pad	Y	State -
430	5	Chris	NBPT Housing Authority roadway	Storey Ave	S	parallel lines	tactile pad	Y	State -
431	5	Chris	Storey Ave	Front of #2	M				Not sure where this is
433	5	Chris	Russell Terr Ext	Russell Terr	W		tactile pad		Stop line only
433	5	Chris	Storey Ave	Park and Ride	W				State – Stop line only
433	5	Chris	Storey Ave	Park and Ride	E	parallel lines	tactile pad	button/walk sign	State – Stop line only
433	5	Chris	Park and Ride	Storey Ave	N	parallel lines	tactile pad	button/walk sign	State -
500	1	Alden	Plum Island Parking lot						4" parking stall
501	1	Alden	Northern Blvd	Near Plum Isl Parking lot front	S				Stop line only
502	1	Alden	Beacon Ave	Lincoln St	N	ladder	none	yes	
502	1	Alden	Lincoln	Beacon St	W	ladder	none	yes	
503	1	Alden	Beacon Ave	Oak St	N	bars	tactile pad	yes	
503	1	Alden	Beacon Ave	Oak St	S	bars	tactile pad	yes	
503	1	Alden	Oak St	Beacon St	W	none	none	yes	
503	1	Alden	Oak St	Beacon St	E	bars	tactile pad	yes	
504	1	Alden	Beacon Ave	Reilly Ave	N	none			Stop line only
504	1	Alden	Beacon Ave	Reilly Ave	S	none			Stop line only
504	1	Alden	Reilly Ave	Beacon St	W	none			Stop line only
504	1	Alden	Reilly Ave	Beacon St	E	none			Stop line only
505	1	Alden	Chestnut St	Rail trail crossing	M	wide bars	tactile pad	no	
507	2	Alden	Prospect St	Bromfield St	W	ladder	none	yes	
507	2	Alden	Bromfield St	Prospect St	N	ladder	none	yes	
508	1	Alden	Chestnut St	Bromfield St	E	ladder	none	no	
510	1	Alden	Hancock St	Bromfield St	E	ladder	tactile pad	yes	
511	1	Alden	Milk St	Bromfield St	W	bars	tactile pad	yes	
511	1	Alden	Bromfield St	Milk St	S	ladder	tactile pad	yes	
512	1	Alden	Hancock St	Rail trail crossing	M	wide bars	tactile pad	yes	
513	1	Alden	Purchase St	Bromfield St	W	ladder	level	yes	
513	1	Alden	Purchase St	Bromfield St	E	ladder	level	yes	
513	1	Alden	Bromfield St	Purchase St	S	ladder	level	yes	
513A	1	Alden	Harrison St	Purchase St	N	bars	tactile pad	yes	
513B	1	Alden	Purchase St	Rail trail crossing	M	bars	tactile pad	yes	
514	1	Alden	Purchase St	Franklin St	W	bars	tactile pad	no	

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
514	1	Alden	Purchase St	Franklin St	E				Stop line only
514	1	Alden	Franklin St	Purchase St	S				Stop line only
514A	1	Alden	Salem St	Purchase St	N	bars	tactile pad	yes	
514B	1	Alden	Charles St	Purchase St	N	bars	tactile pad	yes	
514C	1	Alden	Purchase St	Lime St	E				
515	2	Alden	Lime St	Milk St	N	bars	tactile pad	yes	
515	2	Alden	Lime St	Milk St	S	bars	tactile pad	yes	
515	2	Alden	Milk St	Lime St	E	bars	tactile pad	yes	
515	2	Alden	Milk St	Lime St	W	bars	tactile pad	yes	
516	2	Alden	Prospect St	Lime St	W				Revisit – due to paving
516	2	Alden	Prospect St	Lime St	E				Revisit – due to paving
516	2	Alden	Lime St	Prospect St	N				Revisit – due to paving
516	2	Alden	Lime St	Prospect St	S				Revisit – due to paving
517	2	Alden	Prospect St	At #95 Prospect St (Playgrou	M	ladder	none	yes	
518	2	Alden	Prospect St	Federal St	W				Stop line only
518	2	Alden	Prospect St	Federal St	E				Stop line only
518	2	Alden	Federal St	Prospect St	N	ladder	Ramp	no	
519	2	Alden	Temple St	Federal St	W	bars	tactile pad	yes	
520	2	Alden	Federal St	Milk St	N	ladder	tactile pad	yes	
521	2	Alden	Orange St	Federal St	W	bars	tactile pad	yes	
522	2	Alden	Federal St	Middle St	N	ladder	level/N	yes	
522	2	Alden	Middle St	Federal St	W		none	yes	Revisit – due to paving
523	2	Alden	Federal St	Liberty St	N	ladder	none	no	
523	2	Alden	Liberty St	Federal St	W	ladder	none	yes	
525	2	Alden	Independent St	Liberty St	N				Stop line only
526	2	Alden	Liberty St	Fair St	W	bars	level	yes	
526	2	Alden	Liberty St	Fair St	E	bars	level	yes	
526	2	Alden	Fair St	Liberty St	N				Stop line only
526	2	Alden	Fair St	Liberty St	S	bars	none	yes	
527	2	Alden	Fair St	Middle St	N				Stop line only
527	2	Alden	Fair St	Middle St	S				Stop line only
527	2	Alden	Middle St	Fair St	E				Revisit – due to paving
527	2	Alden	Middle St	Fair St	W				Revisit – due to paving
528	2	Alden	Essex St	Fair St	W	ladder	level	yes	
530	2	Alden	Spring St	Fair St	E	bars	level	yes	
532	2	Alden	Charter St	Fair St	W	bars	level tactile pad	yes	
533	2	Alden	Orange St	Fair St	E	bars	level	yes	
534	2	Alden	Temple St	Fair St	E	bars	tactile pad	yes	
534	2	Alden	Temple St	Fair St	W	bars	tactile pad	yes	
534	2	Alden	Fair St	Temple St	N	bars	tactile pad	yes	
534	2	Alden	Fair St	Temple St	S	bars	tactile pad	yes	
535	2	Alden	Prospect St	Fair St	W				Stop line only
535	2	Alden	Prospect St	Fair St	E	bars	level	yes	
535	2	Alden	Fair St	Prospect St	N	bars	level tactile pad	yes	
536	2	Alden	Fruit St	Prospect St	S	bars	level	yes	
570	2	Alden	Pond St	Greenleaf St	N	bars	tactile pad	yes	
570	2	Alden	Pond St	Greenleaf St	S	bars	tactile pad	yes	
570	2	Alden	Greenleaf St	Pond St	E	bars	tactile pad	yes	
570	2	Alden	Greenleaf St	Pond St	W	bars	tactile pad	yes	

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
571	2	Alden	Hill St	Pond St	E - ?	bars	tactile pad	yes	
572	3	Alden	Hillside Ave	Pond St	E	bars	tactile pad	yes	
573	3	Alden	Cottage Ct	Pond St	E	ladder	tactile pad	yes	
575	2	Alden	Auburn St	Pond St	W	ladder	level tactile pad	yes	
576	2	Alden	Auburn St	Vernon St	S				Stop line only
577	2	Alden	Greenleaf St	State St	W	ladder	level	yes	
577	2	Alden	State St	Greenleaf St	N (S?)	bars	level	yes	
578	2	Alden	Brown St	State St	E	ladder	level	yes	
579	2	Alden	Parker St	State St	E				Stop line only
579	2	Alden	State St	Parker St	S				nothing
579	2	Alden	State St	Parker St	N	bars	tactile pad	yes	
600	2	Alden	Liberty St	State St	E	ladder	Ramp	yes	
600	2	Alden	State St	Liberty St	S	ladder	level	yes	
601	2	Alden	Middle St	State St	E				Revisit – due to paving
601	2	Alden	State St	Middle St	M	ladder	Ramp	yes	
602	2	Alden	Essex St	State St	E	ladder	level	yes	
603	2	Alden	Pleasant St	State St	W	ladder	tactile pad	yes	
603	2	Alden	State St	Pleasant St	N	ladder	tactile pad	yes	
603	2	Alden	State St	Pleasant St	S	ladder	tactile pad	yes	
604	2	Alden	Charter St	State St	E	bars	level	yes	
605	2	Alden	Temple St	State St	E	bars	level	yes	
605	2	Alden	State St	Temple St	N	ladder	level	yes	
605	2	Alden	Prince St	State St	S (W?)	ladder	level	yes	
606	2	Alden	Prospect St	State St	E	ladder	level tactile pad	yes	
606	2	Alden	Harris St	State St	W	bars	level tactile pad	yes	
606	2	Alden	State St	Prospect St	S	ladder	level tactile pad	yes	
607	2	Alden	State St/Harris St parking lot						4" parking stalls
608	2	Alden	Garden St	State St	E	ladder	tactile pad	yes	
609	2	Alden	Harris St	Green St	E	bars	tactile pad	yes	
609	2	Alden	Washington St	Green St	W	bars	tactile pad	yes	
609	2	Alden	Green St	Harris St	N	bars	tactile pad	yes	
610	2	Alden	Pleasant St	Green St	E	ladder	level	no	
610	2	Alden	Pleasant St	Green St	W	rainbow ladder	level	no	
610	2	Alden	Green St	Pleasant St	N	bars	level	no	
610	2	Alden	Green St	Pleasant St	S	bars	level tactile pad	no	
611	2	Alden	Green St parking lot entrance	Green St	E	ladder	level	no	
612	2	Alden	Unicorn St	Pleasant St	N	ladder	level	yes	
613	2	Alden	Pleasant St	Titcomb St	E				Stop line only
613.1	2	Alden	Pleasant St	Titcomb St	W	ladder	tactile pad	yes	
613.2	2	Alden	Titcomb St	Pleasant St	N	ladder	level tactile pad	yes	
614	2	Alden	Pleasant St	Market St	E	bars	level tactile pad	yes	
615	3	Alden	Market St	Washington St	N	ladder	none	yes	
615	3	Alden	Market St	Washington St	S	ladder	none/Level	yes	
615	3	Alden	Washington St	Market St	E	ladder	none	yes	
615	3	Alden	Washington St	Market St	W	ladder	none	no	
616	2	Alden	Titcomb St	Washington St	N	ladder	tactile pad	yes	
616	2	Alden	Washington St	Court St	E	ladder	tactile/none	yes	
616	2	Alden	Court St	Washington St	S	ladder	level tactile pad	yes	
617	2	Alden	Washington St	in front of school	M	bars	tactile pad	no	
700	3	Alden	Graf Rd	Parker St/Muliken	N				Stop line only

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
700	3	Alden	Parker St	Graf Rd/Mulliken	E				Stop line only
700	3	Alden	Parker St	Graf Rd/Mulliken	S				Stop line only
700	3	Alden	Mullikan Way	Graf Rd/Parker	W				Stop line only
701	3	Alden	Parker St	Rail trail crossing		bars	tactile pad	yes	
702	3	Alden	Hill St Ext	Parker St	N				Stop line only
703	3	Alden	Parker St	Route 1	W				Stop line only
703.1	3	Alden	Mullikan Way	Midblock	M	diagonal ladder level		no	I assume this is located by #6 Mullikan Way
703.2	3	Alden	Mullikan Way	Malcolm Hoyt Dr	E				Stop line only
703.3	3	Alden	New Pasture Rd	Graf Rd	W				Stop line only
704	3	Alden	Opportunity Way	Malcolm Hoyt Dr	E				Stop line only
705	3	Alden	Malcolm Hoyt Dr	Hale St	S				Stop line only
706	3	Alden	Johnson St	Middle School Driveway	N	?	?	?	revisit
707	3	Alden	Middle School Driveway	Johnson St	W	?	?	?	revisit
708	3	Alden	Summit Pl	Toppans Lane	E	ladder	tactile pad	yes	
709	4	Eddie	Highland Ave	Toppans Lane	W	Bar	Level	Flashing Light	leads to tactile pad only not continuing sidewalk
709	4	Eddie	Toppans Lane	Highland Ave	N	Ladder	Level	Y	Tactile Pads on both sides
710	3	Alden	Washington St	Summer St	E	ladder	tactile pad	yes	
710	3	Alden	Washington St	Summer St	W				Stop line only
710	3	Alden	Summer St	Washington St	N	ladder	level tactile pad	yes	
710	3	Alden	Summer St	Washington St	S	ladder	level tactile pad	yes	
711	3	Alden	Washington St	Winter St	E				Stop line only
711	3	Alden	Washington St	Winter St	W	ladder	tactile pad	yes	
711	3	Alden	Winter St	Washington St	N	ladder	level tactile pad	yes	
711	3	Alden	Winter St	Washington St	S	ladder	level tactile pad	yes	
712	3	Alden	Washington St	Clipper City Rail Trail	M	bars	level	no	
713	3	Alden	Washington St	Boardman St	W	bars	tactile pad	yes	
713	3	Alden	Washington St	Boardman St	E	bars	tactile pad	yes	
713	3	Alden	Boardman St	Washington St	S	bars	tactile pad	yes	
713	3	Alden	Boardman St	Washington St	N	bars	tactile pad	yes	
714	3	Alden	Olive St	Washington St	N				Stop line only
714	3	Alden	Olive St	Washington St	S				Stop line only
714	3	Alden	Washington St	Olive St	E				Stop line only
714	3	Alden	Washington St	Olive St	W				Stop line only
715	3	Alden	Buck St	Washington St	N	ladder	none	yes	
715	3	Alden	Buck St	Washington St	S	ladder	none	yes	
715	3	Alden	Washington St	Buck St	E	ladder	none	yes	
715	3	Alden	Washington St	Buck St	W	ladder	none	yes	
716	3	Alden	Washington St	Kent St	E	bars	tactile pad	no	
716	3	Alden	Kent St	Washington St	N	bars	tactile pad	yes	
716	3	Alden	Washington St Ext	Kent St	W				Nothing !
718	3	Alden	Kent St	Munroe St	N (S?)	ladder	ramp tactile pad	yes	
719	3	Alden	Munroe St	Kent St	W	ladder	ramp tactile pad	yes	
720	3	Alden	Merrill St	Russia St	N	ladder	tactile pad	yes	
720	3	Alden	Russia St	Merrill St	W	ladder	tactile pad	yes	
720	3	Alden	Russia St	Merrill St	E	ladder	tactile pad	yes	
721	3	Alden	Merrill St	Congress St	N	ladder	tactile pad	no	
721	3	Alden	Congress St	Merrill St	W	ladder	tactile pad	no	

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
722	3	Alden	Buck St	Congress St	S	ladder	none	yes	
723	3	Alden	Munroe St	Warren St	E	ladder	tactile pad	yes	
723	3	Alden	Munroe St	Warren St	W	ladder	tactile pad	yes	
723	3	Alden	Warren St	Munroe St	N	ladder	tactile pad	yes	
723	3	Alden	Warren St	Munroe St	S	ladder	tactile pad	yes	
724	3	Alden	Munroe St	Carter St	E	ladder	tactile pad	yes	
724	3	Alden	Munroe St	Carter St	W	ladder	tactile pad	yes	
724	3	Alden	Carter St	Munroe St	N	ladder	tactile pad	yes	
724	3	Alden	Carter St	Munroe St	S	ladder	tactile pad	yes	
725	3	Alden	Munroe St	Broad St	E	ladder	none	yes	
725	3	Alden	Munroe St	Broad St	W	ladder	none	yes	
725	3	Alden	Broad St	Munroe St	N	ladder	none	yes	
725	3	Alden	Broad St	Munroe St	S	ladder	none	yes	
726	3	Alden	Munroe St	Tyng St	E	ladder	level	yes	
726	3	Alden	Munroe St	Tyng St	W	ladder	level	yes	
726	3	Alden	Tyng St	Munroe St	N	ladder	level	yes	
726	3	Alden	Tyng St	Munroe St	S	ladder	level	yes	
726.1	4	Eddie	Jackson St	Oakland St	W	Bar	Level/Ramp	Y	Tactile Pads on both sides
728	4	Eddie	Collins St	Jackson St	S	Bar	Level	Y	Tactile Pads on both sides (crosswalk faded a bit)
729	4	Eddie	Carlton St	Jackson St	S	Bar	Level	Y	Tactile Pads on both sides
730	4	Eddie	Jackson St	Woodland St	E	Bar	Level	Y	Tactile Pads on both sides
731	4	Eddie	Carlton St	Woodland St	E	Bar	Level	Y	Tactile Pads on both sides
732	4	Eddie	Rawson Ave	Highland Ave	S			Y	Stop line only (by Do Not Enter sign)
732	4	Eddie	Highland Ave	Rawson Ave	E			Y	Stop line only
732	4	Eddie	Rawson Ave	Highland Ave	N	Ladder	Level	Y	Tactile Pads on both sides (crosswalk faded)
733	4	Eddie	Rawson Ave	Lois St	N			N	Stop line only
734	4	Eddie	Lois St	Hunter Dr	S			Y	Stop line only
735	5	Chris	No Atkinson St	New Bresnahan School Driv	S	Ladder	tactile pad/none	Y	No curb cut on east side
735	5	Chris	New Bresnahan School Driveway	No Atkinson St	W	Ladder	tactile pad/none	Y	Curb cut on South side does not line up
737	5	Chris	New Bresnahan School Access Rc 250'W of No Atkinson St		S	Bar	tactile pad/none	Y	
738	5	Chris	New Bresnahan School Access Rc exit from parking lot			Bar	tactile pad	Y	
739	5	Chris	New Bresnahan School Access Rc at front door #2 and into parking lot			Bar	tactile pad	Y	
740	5	Chris	New Bresnahan School Access Rc near door #4			Bar	tactile pad	Y	
741	5	Chris	New Bresnahan School Access Rc at exit to parking lot area			Bar	tactile pad	Y	Near door 8 (Bres loading dock)
742	5	Chris	New Bresnahan School Access Rc access roadway			Bar	tactile pad	Y	Across loading dock driveway (Authorised vehicles only)
743	5	Chris	New Bresnahan School Access Rc Parking lot			Bar	tactile pad	Y	arrows and 4" parking stalls
744	5	Chris	New Bresnahan School Access Rc at Murphy Ave exit						4" parking stalls
746	4	Eddie	Payson St	Chapel St	E			Y	Stop line only
746	4	Eddie	Maple St	Chapel St	W			Y (On Payson Stop line only	
746	4	Eddie	Chapel St	Maple St	N			Y (On Payson Stop line only	
746	4	Eddie	Chapel St	Maple St	S			Y (On Payson Stop line only	
747	4	Eddie	Stanley Ave	Forrester St	W	Bar	Level/Ramp	Y	Tactile Pads on both sides
748	4	Eddie	Stanley Ave	Ashland St	E	Bar	Ramp	inner but each	Tactile Pads on both sides
749.1	4	Eddie	Adams St	Jefferson St	W	Ladder	Ramp	Y	Tactile Pads on both sides (crosswalk faded)

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
749.2	4	Eddie	Senior Center access rd	at entrance to main parking lot					
749.3	4	Eddie	Senior Center access rd	at entrance to back parking lot					
749.4	4	Eddie	Senior Center	Small Parking lot					
749.5	4	Eddie	Senior Center	Main Parking lot					
749.6	4	Eddie	Senior Center	Main Parking lot					
749.7	4	Eddie	Senior Center/New Bresnahan Sch	from High St entrance		Bar	Level	Y	No tactile pads; flashing light
750	4	Eddie	Christopher St	Jefferson St	W	Bar	Level	Y	Tactile Pads on both sides
751	4	Eddie	Plummer Ave	60's of Christopher St	S	Bar	Level	N	Tactile Pads on both sides
800	5	Chris	Coltin Dr	Wildwood Dr	E				Stop line only
801	5	Chris	Charmanski Dr	Wildwood Dr	W				Stop line only
802	5	Chris	Quail Run Hollow	Wildwood Dr	E				Stop line only
803	5	Chris	Pheasant Run Dr	Quail Run Dr	N				Stop line only
804	5	Chris	Fox Run Dr	Quail Run Hollow	N				Stop line only
805	5	Chris	Quail Run Hollow	Doe Run Dr	W				Stop line only
806	5	Chris	Squires Glen	Fox Run Dr	E				Stop line only
806.1	5	Chris	Squires Glen	Hale St	W				Stop line only
808	5	Chris	Doe Run Dr	Hale St	W				Stop line only
811	5	Chris	Wilkenson Dr	Hale St	W				Stop line only
812	5	Chris	Hale St	Turkey Hill Rd	E				Stop line only
812	5	Chris	Turkey Hill Rd	Hale St	N				Stop line only
812	5	Chris	Turkey Hill Rd	Plummer Springs Rd	S				Stop line only
812	6	Liz	Plummer Springs Rd	Turkey Hill Rd	W				Stop line only
813	6	Liz	Elizabeth Ln	Marquand Ln	W				Stop line only
813	6	Liz	Elizabeth Ln	Marquand Ln	E				Stop line only
814	6	Liz	Hawthorne Dr	Marquand Ln	N				Stop line only
814	6	Liz	Hawthorne Dr	Marquand Ln	S				Stop line only
814	6	Liz	Marquand Ln	Hawthorne Dr	E				Stop line only
814	6	Liz	Marquand Ln	Hawthorne Dr	W				Stop line only
815	6	Liz	Marquand Ln	Newhall Ln	W				Stop line only
815	6	Liz	Marquand Ln	Newhall Ln	E				Stop line only
816	6	Liz	Newhall Ln	Hawthorne Dr	N				Stop line only
816	6	Liz	Newhall Ln	Hawthorne Dr	S				Stop line only
817	6	Liz	Elizabeth Ln	Newhall Ln	N				Stop line only
817	6	Liz	Elizabeth Ln	Newhall Ln	S				Stop line only
818	6	Liz	Windwood Dr – south section	Turkey Hill Rd	W				Stop line only
818.1	6	Liz	Crow Lane	Turkey Hill Rd	E				Stop line only
818.2	6	Liz	Windwood Dr – north section	Turkey Hill Rd	W				Stop line only
818.3	6	Liz	Barlett Dr	Turkey Hill Rd	E				Stop line only
818.4	6	Liz	Turkey Hill Rd	Bartlett Dr	S	Ladder	W-ramp E-level	80 ft north	Stop line only
819	6	Liz	Everett Dr	Turkey Hill Rd	W				Stop line only
820	6	Liz	Henderson Cir	Turkey Hill Rd	E				Stop line only
821	6	Liz	Turkey Hill Rd	Storey Ave	S				Stop line only
822	6	Liz	Dennett Dr	Storey Ave	S				Stop line only
823	5	Chris	Daniel Lucy Way	Storey Ave	N				which is this ? Should it be labeled S?
823	5	Chris	Storey Ave	intersection in front of fire st	S				
823	5	Chris	Storey Ave	Virginia Ln	E				Stop line only
823	5	Chris	Storey Ave	Virginia Ln – west of fire stat	W				Stop line only

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker	Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
823	5	Chris	Virginia Ln	Storey Ave	S				Stop line only
824	5	Chris	Melvin Ct	Virginia Ln	W				Stop line only
825	6	Liz	Philips Dr (east)	Storey Ave	N				Stop line only
826	6	Liz	Philips Dr (east)	Drew St	W				Nothing – after new pavement
827	6	Liz	Drew St	Philips Dr (west)	W	Bar	level tactile pad	N	new after paving
827	6	Liz	Drew St	Philips Dr (west)	E				Stop line only – after new pavement
828	6	Liz	Philips Dr (west)	Storey Ave	N				Stop line only
829	6	Liz	Hoyts Ln	Storey Ave	N				Stop line only
829.1	6	Liz	Hoyts Ln	Curzon Mills Rd	S				Stop line only
830	6	Liz	Curzon Mills Rd	hoyts Ln	E				Stop line only
831	6	Liz	Curzon Mills Rd	front of #89	M				Discontinued
832	6	Liz	Curzon Mills Rd	Maudsley Park	M	Ladder	Level	Y	connect parking lot to meadow
833	6	Liz	Curzon Mills Rd	Pine Hill Rd	E	none			Stop line only
834	6	Liz	Spring Ln	Pine Hill Rd	N				Stop line only

New Crosswalks Not on DPS List

3	Alden	Route 1	Rail trail crossing	M	ladder	tactile pad	no	
3	Alden	Rail trail crossing	Pomodoro parking lot	E	ladder	level	no	
3	Alden	Rail trail crossing	Pomodoro parking lot	W	ladder	level	no	
4	Eddie	Highlawn	High St		Bar	Ramp	Y	Tactile Pads on both sides
4	Eddie	Twomey	High St		Bar	Level	Y	
4	Eddie	Brooks St	High St		Bar	Level	Y	
4	Eddie	High St	N. Atkinson		Ladder	Ramp	Y	a bit faded
5	Eddie/Chris	Low St	Coitlin		Ladder	Level	Y	Tactile Pad on E side
4	Eddie	Low St	Kinder Care		Ladder	Curb	Y	
4	Eddie	N. Atkinson	Bresnahan School		Ladder	Level	Y	Tactile Pads
4	Eddie	Bresnahan School	N. Atkinson		Ladder	Curb	Y	
5	Chris	West side of Senior Center			Bar	tactile pad	Y	
5	Chris	NE Corner of Senior Center			Bar	tactile pad	Y	
5	Chris	Senior Center Drive just before Senior/Bres driveway split			Bar	tactile pad	Y	

827	6	Liz	Philips Dr (west)	Drew St	N	Bar	level tactile pad	N	
-----	---	-----	-------------------	---------	---	-----	-------------------	---	--

Discontinued

Eddie	Central St	State St	W	ladder	level	yes	Discontinued ? - but it still shows
-------	------------	----------	---	--------	-------	-----	-------------------------------------

Needed Crosswalks

6	Liz	Boyd	Ferry Rd				to corner of roosevelt/lawton
1	Alden	High St	Parson St/Coffin Ct				
223	6	Liz	Woodland St				
6	Liz	Spofford St	Chain Bridge Dr/Belcher				
6	Liz	Moulton St	Ferry Rd				

2025 CROSSWALK SURVEY

Intersection #	Ward	Note taker		Street	Intersection/Street	Intersection	Type	Access Ramp	Street	Notes
101	6	Liz	Ferry Rd		Lawton Dr					needed where sidewalk ends
	1	Alden	Ocean Ave		Water St	S				no sidewalks

Color Key:

-  - differs from city inventory
-  - group recommendations
-  - requires follow up
-  - parking daylighted crosswalks